






Steps Position



Step Option 1



Step Option 2

SHEET: 1 OF 2



CERT# ESR-2782



MEXICO 14' x 28' LEFT

STEEL	PERIMETER:	72'-9"	VOLUME (US Gal):	8 800
DWG #:	AREA (SqFt):	307	VOLUME (Litres):	33 500
KAMC24S1428L10	LINER AREA (SqFt):	383	DATE:	01/Jan/2010
PART# :	SAFETY COVER (SqFt):	471	SCALE:	1/8" = 1'-0"
MC24S1428				




NON-DIVING
POOL

USE OF DIVING EQUIPMENT
IS PROHIBITED

MEETS DEPTH AND SHAPE MINIMUM STANDARD ANSI/NSPI5-2003

MEXICO

Diagonals	4 To 6	5'-5 1/4"	16 To 18	9'-2 3/4"
S1 To S2	11'-0 3/4"	4 To 17	27'-7 3/4"	
S2 To H1	15'-9 3/4"	5 To 17	27'-5 1/2"	
H1 To H2	13'-7 3/4"	8 To 18	24'-1 1/2"	
H2 To S1	13'-8"	8 To 20	21'-5"	
1 To 7	13'-1 3/4"	9 To 20	19'-2 1/2"	
1 To 8	13'-8"	10 To 20	17'-9 3/4"	
1 To 9	13'-11 3/4"	12 To 20	14'-5 1/4"	
1 To 10	13'-9 1/2"	13 To 19	12'-0 1/4"	
1 To 16	21'-11 3/4"	13 To 20	11'-11 1/4"	
2 To 6	10'-0 3/4"	14 To 18	11'-2 1/4"	
2 To 7	12'-5 3/4"	14 To 19	11'-11 1/4"	
3 To 5	5'-5 1/4"	15 To 17	9'-2 3/4"	
3 To 6	6'-10"	15 To 18	11'	
3 To 8	11'-1"	15 To 19	12'-10 1/4"	




2010

Part number	Description	Qty		
		No Step	Option 1	Option 2
ST0960002*	8' Straight Skimmer	1	1	1
ST0840002X	7' Straight Plain	2	1	1
ST0480001X	4' Straight Plain	3	3	3
ST0360000X	3' Straight Plain	2	2	2
ST0240000X	2' Straight Plain	2	2	2
ST0240000*	2' Straight Return	2	2	2
ST0210000X	1'9" Straight Plain	1	1	1
ST0200000X	1'8" Straight Plain	1	1	1
ST0180000X	1'6" Straight Plain	1	3	1
ST0120000X	1' Straight Plain	1	1	1
ST0060000X	0'6" Straight Plain	-	-	2
CR0190240XX	2RR-1'7"	2	2	2
CN0190240XX	2R-1'7"	6	6	6
CN0380240XX	2R-3'2" Corner	2	2	2
XXX-XXX	Panel Brace	24	25	25
IPC-HDWSTRT150	Hardware, Straight 150 Pack	2	2	2
IPC-STKPK25	Rebar Stake, 18" 25 Pack	2	3	3
	4ft Straight Step	-	1	-
	6ft Straight Step	-	-	1

	A	B	C	D
1	14'-5 3/4"	26'-11 1/4"	23'-2 1/2"	4'-10"
2	13'-6"	27'-10 1/2"	24'-7 1/2"	3'-5 1/2"
3	10'-3"	29'-3 1/2"	27'-8"	3'-5 1/2"
4	8'-10"	29'-4 3/4"	28'-5 1/2"	4'-10"
5	4'-10"	28'-5 1/2"	29'-4 3/4"	8'-10"
6	3'-5 1/2"	27'-8"	29'-3 1/2"	10'-3"
7	3'-5 1/2"	24'-7 1/2"	27'-10 1/2"	13'-6"
8	4'-10"	23'-2 1/2"	26'-11 1/4"	14'-5 3/4"
9	7'-10"	20'-2 1/2"	24'-4 3/4"	15'-9"
10	9'-3 1/4"	18'-9 1/2"	22'-10 3/4"	16'
11	10'-10"	17'-6"	20'-11"	15'-9 1/2"
12	12'-4 1/4"	16'-2"	19'-5 1/4"	16'-4 1/2"
13	17'-0 1/2"	11'-5 3/4"	15'-9"	20'-1 3/4"
14	18'-4 1/2"	9'-11 3/4"	15'-2 1/2"	21'-8"
15	19'-8 1/4"	8'-4 1/2"	15'-6 1/4"	23'-7 1/2"
16	22'-6"	5'-6 3/4"	14'-2 1/4"	26'-0 1/4"
17	28'	5'-6 3/4"	8'-1 3/4"	28'-7 1/2"
18	28'-8 1/4"	8'-4 1/2"	5'-4"	27'-11 1/2"
19	26'-2 3/4"	14'-1 1/4"	5'-4"	22'-9"
20	25'-4"	15'-2 1/2"	6'-8 1/2"	21'-4"
H1	8'	20'-0 1/2"	24'-3"	15'-9 3/4"
H2	15'-10"	24'-3"	20'-0 1/2"	8'
S1	16'-2 1/2"	12'-3 3/4"	16'-4 1/4"	19'-5 1/2"
S2	21'-0 1/2"	18'-2 1/2"	12'-0 1/2"	16'
A	-	28'-0 1/2"	31'-2 1/4"	13'-8"

Diagonals	4 To 6	5'-5 1/4"	16 To 18	9'-2 3/4"
S1 To S2	11'-0 3/4"	4 To 17	27'-7 3/4"	
S2 To H1	15'-9 3/4"	5 To 17	27'-5 1/2"	
H1 To H2	13'-7 3/4"	8 To 18	24'-1 1/2"	
H2 To S1	13'-8"	8 To 20	21'-5"	
1 To 7	13'-1 3/4"	9 To 20	19'-2 1/2"	
1 To 8	13'-8"	10 To 20	17'-9 3/4"	
1 To 9	13'-11 3/4"	12 To 20	14'-5 1/4"	
1 To 10	13'-9 1/2"	13 To 19	12'-0 1/4"	
1 To 16	21'-11 3/4"	13 To 20	11'-11 1/4"	
2 To 6	10'-0 3/4"	14 To 18	11'-2 1/4"	
2 To 7	12'-5 3/4"	14 To 19	11'-11 1/4"	
3 To 5	5'-5 1/4"	15 To 17	9'-2 3/4"	
3 To 6	6'-10"	15 To 18	11'	
3 To 8	11'-1"	15 To 19	12'-10 1/4"	



2010

Part number	Description	Qty		
		No Step	Option 1	Option 2
ST0960002*	8' Straight Skimmer	1	1	1
ST0840002X	7' Straight Plain	2	1	1
ST0480001X	4' Straight Plain	3	3	3
ST0360000X	3' Straight Plain	2	2	2
ST0240000X	2' Straight Plain	2	2	2
ST0240000*	2' Straight Return	2	2	2
ST0210000X	1'9" Straight Plain	1	1	1
ST0200000X	1'8" Straight Plain	1	1	1
ST0180000X	1'6" Straight Plain	1	3	1
ST0120000X	1' Straight Plain	1	1	1
ST0060000X	0'6" Straight Plain	-	-	2
CR0190240XX	2RR-1'7"	2	2	2
CN0190240XX	2R-1'7"	6	6	6
CN0380240XX	2R-3'2" Corner	2	2	2
XXX-XXX	Panel Brace	24	25	25
IPC-HDWSTRT150	Hardware, Straight 150 Pack	2	2	2
IPC-STKPK25	Rebar Stake, 18" 25 Pack	3	3	3
	4ft Straight Step	-	1	-
	6ft Straight Step	-	-	1

	A	B	C	D
1	14'-5 3/4"	26'-11 1/4"	23'-2 1/2"	4'-10"
2	13'-6"	27'-10 1/2"	24'-7 1/2"	3'-5 1/2"
3	10'-3"	29'-3 1/2"	27'-8"	3'-5 1/2"
4	8'-10"	29'-4 3/4"	28'-5 1/2"	4'-10"
5	4'-10"	28'-5 1/2"	29'-4 3/4"	8'-10"
6	3'-5 1/2"	27'-8"	29'-3 1/2"	10'-3"
7	3'-5 1/2"	24'-7 1/2"	27'-10 1/2"	13'-6"
8	4'-10"	23'-2 1/2"	26'-11 1/4"	14'-5 3/4"
9	7'-10"	20'-2 1/2"	24'-4 3/4"	15'-9"
10	9'-3 1/4"	18'-9 1/2"	22'-10 3/4"	16'
11	10'-10"	17'-6"	20'-11"	15'-9 1/2"
12	12'-4 1/4"	16'-2"	19'-5 1/4"	16'-4 1/2"
13	17'-0 1/2"	11'-5 3/4"	15'-9"	20'-1 3/4"
14	18'-4 1/2"	9'-11 3/4"	15'-2 1/2"	21'-8"
15	19'-8 1/4"	8'-4 1/2"	15'-6 1/4"	23'-7 1/2"
16	22'-6"	5'-6 3/4"	14'-2 1/4"	26'-0 1/4"
17	28'	5'-6 3/4"	8'-1 3/4"	28'-7 1/2"
18	28'-8 1/4"	8'-4 1/2"	5'-4"	27'-11 1/2"
19	26'-2 3/4"	14'-1 1/4"	5'-4"	22'-9"
20	25'-4"	15'-2 1/2"	6'-8 1/2"	21'-4"
H1	8'	20'-0 1/2"	24'-3"	15'-9 3/4"
H2	15'-10"	24'-3"	20'-0 1/2"	8'
S1	16'-2 1/2"	12'-3 3/4"	16'-4 1/4"	19'-5 1/2"
S2	21'-0 1/2"	18'-2 1/2"	12'-0 1/2"	16'
A	-	28'-0 1/2"	31'-2 1/4"	13'-8"